Up again to pee?

A practical guide to nighttime bathroom trips, sleep, and asking for help.

By Brooke Quinn, MSc Sleep Medicine, RPSGT

What woke you first? Sometimes bladder urgency wakes you. Sometimes you wake for another reason and then notice your bladder. “I am not sure” is a useful answer. [7]

The sleep connection

Waking from sleep to urinate is called nocturia. Obstructive sleep apnea can affect hormone signals that increase overnight urine production. It can be one contributor among several; nighttime bathroom trips alone do not diagnose it. [5]

Bladder or prostate problems, diabetes, medicines, evening fluids, and fluid shifting from swollen legs can also contribute. Several causes can overlap. [7]

NOTICE | The pattern and its impact

Note bathroom trips, urgency, disrupted sleep, and whether symptoms are new or worsening. Mention snoring, breathing pauses or gasping, unrefreshing sleep, daytime urinary symptoms, ankle swelling, drinks, and medication timing. [5,7]

ASK | Bring both sleep and urinary concerns

“I wake to urinate ___ times on most nights, and it affects ___. Could we look at both urinary causes and sleep? What tests or referrals fit my symptoms, and when should we reassess?”

While you arrange a visit

Keep appropriate hydration. Avoid drastic fluid restriction or changing medication yourself; ask for an individualized plan. [7] A clinician may request a three-day bladder diary. The next page helps you prepare for the conversation. [5]

Get medical advice sooner

Promptly: painful urination, blood in urine, fever, or new marked thirst and increased urination. **Emergency care:** sudden inability to pass urine; or vomiting, abdominal pain, deep breathing, or confusion with thirst and frequent urination. Do not delay care to complete a diary. [10,11,13,14]

What I want to discuss

Use what you know. Uncertainty and blank spaces are fine. This worksheet is not a screening score or a diagnostic bladder diary.

When it started / what has changed: _____

Effect on sleep or daily life: _____

Date	Bathroom trips during sleep	Urgency first, awake first, or unsure?	Other sleep / daytime symptoms

Bring the rest of the picture

Medicines and timing: _____

Drinks, swelling, or other changes: _____

What I have tried and the result: _____

If your clinician requests a formal three-day diary, record all drink and urination times and measured amounts across each 24-hour period, including first-morning urine, plus sleep times. Ask for their diary form and instructions. [5]

Leave with a plan

What are we checking or trying? _____

Follow-up date / who to contact: _____

If questions remain: “Could you explain why a sleep or urinary referral is or is not appropriate now, and what would change that decision?” You can request another opinion.

Why sleep belongs in the conversation

Adult urology guidance includes sleep habits and symptoms of obstructive sleep apnea in the assessment of nocturia. A bladder diary can help distinguish urine production, storage, and sleep-related patterns. [5]

In an observational study of 274 adults with diagnosed sleep apnea, 42.3% reported at least one fewer nightly bathroom trip after CPAP. There was no randomized untreated comparison. The result supports considering sleep apnea when appropriate; it does not predict an individual response or establish the cause of someone else's symptoms. [6]

The useful next step is a fuller conversation. You do not need to arrive with a diagnosis. Describe the pattern, explain its impact, and ask what happens next.

Sources and further reading

[5] Canadian Urological Association (2022). Best practice report: diagnosis and management of nocturia. DOI: 10.5489/cuaj.7970.

[6] Vrooman et al. (2020). CPAP and nocturia in patients with obstructive sleep apnea. DOI: 10.1002/nau.24329.

[7] Guy's and St Thomas' NHS Foundation Trust. Nocturia: getting up at night to pee.

[10] NHS. Diabetic ketoacidosis.

[11] NIDDK. Symptoms & causes of urinary retention.

[13] NIDDK. Symptoms & causes of bladder infection in adults.

[14] NIDDK. Type 1 diabetes.

About this guide

Published November 5, 2026. Educational information, not individual diagnosis or treatment. No independent clinical review is claimed. This is a focused educational resource, not a systematic review. References retain the numbering of the companion article and are clickable in the digital PDF.

This guide concerns waking to urinate. Involuntary wetting during sleep is a different symptom to discuss with a clinician. Keep personal notes private and share them with your care team as needed.